

# Product Guide 2024

Soybeans, Pulses, Corn, Cereals, Oilseeds, Tubers, Vegetables



**Thriving Through Innovation** 

### Contents

Message from our CEO	1
Company Overview	2
Field Science	3
What Sets XiteBio Apart?	4
Natural soil microflora in one gram of soil	5
XiteBio® SoyRhizo®	6
XiteBio® PulseRhizo®	
What is AGPT®?	14
How to Check for Nodulation in Legume Plants	15
What is PGPR?	16
Early-Post PGPR Application vs. Foliar Application	17
The 5 W's of P-Solubilization	18
XiteBio® Yield+	20
XiteBio® Tuber+	26
XiteBio® OptiPlus®	
XiteBio® Vegi+	32
XiteBio® Products At A Glance	36
Contact Us	37

#### **Message From Our CEO**



At XiteBio, we feel proud and obligated to our three corporate pillars that make up the core of our company: "Thriving Through Innovation", "Research Driven, Performance proven", and "Healthier Plants. Better Yields". These are the fundamental principles that drive us toward delivering the latest and most innovative agbiological solutions for your crop production needs. We sincerely hope that this product guide will facilitate a connection between you and our products & technologies. We will feel honoured if this little endeavour someway would help you

making an informed decision on products that create real value for your crops and farm.

After the years of supply chain issues caused by the pandemic XiteBio and the agriculture industry at large are settling into a new normal. With no way to go but forward we push ahead under the expectation that innovation and hard work can only lead us through any challenges we face or to overcome the obstacles always thrown at us.

A point of pride in XiteBio this upcoming season, not one but two new products were registered through CFIA and added to our portfolio: XiteBio® Tuber+ for tuber crops and XiteBio® Vegi+ for vegetables. Both of them come from our core Yield+ platform and are powered by our patented P-solubilizing PGPR (Plant Growth Promoting Rhizobacteria) Technology. XiteBio® Vegi+ certainly opens a whole new market for XiteBio and we hope it adds a new microbial approach for vegetable producers. Expanding from agronomic row crops into the horticultural sector is very exciting and unleashes a new opportunity domestically as well as for export. We hope that vegetable producers will find the same standard of quality and performance, that agronomic crop producers have come to expect from XiteBio.

Thank you to our distributors, dealers, and farm customers for your continued support and sharing your journey together with us. We hope our business pillars make your pillars of business better for earning healthier ROI.

Respectfully,

Manas Banerjee, Ph.D., P. Ag.

President & CEO

### **Company Overview**

XiteBio Technologies Inc. is an agriculture biotech company that over the last decade has become a leading edge ag-biological solutions provider in North America and elsewhere. XiteBio®'s IRD (Innovation, Research & Development) Centre researches and develops unique, efficacious ag-biological product lines and brings them to the Canadian, U.S. and some international markets to benefit farmers' bottom lines.

All of XiteBio's commercial products are in-house developed by our own proprietary formulation technology and worldwide patented technology. XiteBio's products in the North American market includes: SoyRhizo® for soybean, and PulseRhizo® for pea, lentil & faba bean, are premium inoculants powered by AGPT® (Advanced Growth Promoting Technology). XiteBio® Yield+ line of products (namely XiteBio® Yield+, XiteBio® Tuber+, XiteBio® Vegi+) are available for oilseeds, cereals, legumes, tuber & vegetable crops, and feature patented phosphate-solubilizing PGPR technology. The new unique dual inoculant XiteBio® OptiPlus® is also available as an in-furrow application for soybeans throughout North America.

**Our Mission:** To build relationships with farmers everywhere by consistently providing easy to use microbial innovations that increase production and reduce input costs.

**Our Vision:** To see every farmer using at least one ag-biological product as their essential tool for sustainable crop production.



### Field Science

The development of an inoculant or ag-biological requires several years of extensive research to ensure that farmers are using a product of the highest quality. This includes testing its performance over a wide range of agro-climatic conditions. From small-plot, to large-plot, to farm-sized trials, across multiple geographic locations, products are tested repeatedly. Our products are only commercially launched once they demonstrate consistent and measurable performance. This is the standard of care that goes into every XiteBio product.

Below you can see a map of various field trial locations and the different crops that were tested at each site. If you would like to see a dataset for a specific region or crop, please contact us toll free at: 1-855-XITEBIO (1-855-948-3246). Or you can contact the XiteBio sales representative for your region listed in the back of this guide.

#### Map Legend

Soybeans

Peas

Lentils

- Canola
- Corn
- Wheat
- Barley


Oats

Navy Beans

Faba Beans

- Potatoes
- Sugar Beets
- Carrots
- Onions
- Mustard

- Tomatoes
- Cucumbers
- Peppers
- Cauliflower



### What Sets XiteBio Apart?

### Innovation Research and Development

From our lab where ideas begin, to our research team, to the manufacture and delivery of inoculant and ag-biological products. Each step is done with the customer in mind.



#### **Product Performance**

Our products come ready-to-use in all-in-one package formulations. They are registered through the Canadian Food Inspection Agency (CFIA) in accordance with their regulatory guidelines. They are also registered in select states throughout the USA and available for sale throughout North America. All our products are certified for organic use in Canada.





CFIA Registered



Registered through select state regulators



#### **Data Driven**

Our products are tested in the lab, in small plot trials, and in field scale trials. All the numbers you will find in this publication are data driven based on real world trials by researchers, retailers and growers.



**Thriving Through Innovation** 

# Natural soil microflora in one gram of soil





Bacteria: ≈ 1 Million - 1 Billion



Fungi: ≈ 100,000 - 1 Million

Why are most inoculants & ag-biologicals based on bacteria?

Because bacteria are the most abundantly present microflora in the soil.



Actinomycetes: ≈ 100,000 - 1 Million



Algae: ≈ 1,000 - 1 million



Protozoa: ≈ 1,000 - 100,000



Nematodes: ≈ 10 - 100



### XiteBio® SoyRhizo® with AGPT®

#### **Active Ingredient:**

Minimum of 2 x 10<sup>9</sup>

Bradyrhizobium japonicum CFU per mL

#### Formulation:

Ready-to-Use (RTU) Liquid

#### **Application Options:**

On-seed or in-furrow

#### **Application Rate:**

On-seed:

49 mL/27 kg (1.68 fl oz/bu)

In-furrow:

175 mL/ac (at 30" row spacing) 350 mL/ac (at 15" row spacing)

#### What is XiteBio® SoyRhizo®?

XiteBio® SoyRhizo® for soybean is an innovative premium liquid inoculant with Advanced Growth Promoting Technology AGPT® that delivers better plant vigor and higher yields.

XiteBio® SoyRhizo® helps farmers maximize the potential of their soybean crops.

XiteBio® SoyRhizo® undergoes rigorous QA/QC before coming to market. Our proprietary liquid formulation has been proven for over a decade to provide consistent results for soybean growers.

Our customers choose XiteBio® SoyRhizo® because they know that nodulation is necessary for high yielding soybean crops and that buying a premium liquid inoculant is a high-quality option.

Find out why so many farmers trust XiteBio® • SoyRhizo® with their soybean crop. Visit our website for more information on test locations and yield results. •

#### Package Size:

1 x 300 Unit/Case (12.6 L or 426.1 fl oz) 4 x 50 Unit/Case (4 x 2.1 L or 71.0 fl oz)

#### **Case Treats:**

12.6 L bag: 252 bu/6810 kg/15,000 lb seed 2.1 L bag: 42 bu/1135 kg/2,500 lb seed

#### On-seed Life:

Up to 90 days
Please consult compatibility charts

#### Shelf Life:

2 years

#### Approved for organic use in Canada

#### Why use XiteBio® SoyRhizo®?


- Ready-to-Use liquid formulation
- No sticking or bridging of seeds
- Invigorates native bacteria
- Works under different soil and environmental conditions
- Up to 90 days on seed
- Compatible with most seed treatments and fertilizers\*

\*Please consult compatibility charts

#### **Handling directions**

- Shake well before use
- Store in a cool dry place between 4°C and 25°C, away from high wind
- Do not allow product to freeze
- Open only when ready to use


### + 2.5 bu/ac



Source: 3<sup>rd</sup> Party Research; Ohio State University; North Dakota State University; Kent Ag Research; 3<sup>rd</sup> Party Trials; Quarry Seeds; Wesmar Seeds (>50 Trials: 2011-2021)



### + 1.4 bu/ac




Source: 3<sup>rd</sup> Party Research; Ohio State University; North Dakota State University; University of Illinois; 3<sup>rd</sup> Party Trials; Nielsen Seeds; Wesmar Seeds

Competitors: Nodulator®; Optimize®; Primo; ProYield (>40 trials: 2011-2021)




### XiteBio® SoyRhizo® vs. Competitors



Source: 3<sup>rd</sup> Party Trials; Ohio State University; North Dakota State University; (>40 trials: 2011-2021)



XiteBio® SoyRhizo® vs. Competitors in-furrow



Source: 3rd Party Research Trials, Viden, MB; 2017

#### Seed Treatment Compatibility

Compatible Seed Treatment Product Choices	Soybean On-Seed Planting Window	Compatible Seed Treatment Product Choices	Soybean On-Seed Planting Window
Allegiance® FL	64 days	Insure® Pulse	64 days
Apron Maxx® RFC	90 days	PreCede® Soybean	64 days
Apron Maxx® RTA®	90 days	Rancona® Apex	90 days
Cruiser®	90 days	Rancona® RS	90 days
Cruiser Maxx® Vibrance® Beans	90 days	Rancona® Trio	90 days
Clariva® pn	64 days	RhiZone® V	90 days
EverGol® Energy	64 days	Senator® PSP	90 days
EverGol Energy® + Stress Shield® 600	30 days	Vibrance® Maxx	90 days
Fortenza®	64 days	Vibrance® Maxx RFC	90 days
Hibrix™	28 days	Vitaflo® 280	64 days
ILEVO®	64 days	Warden® CX	64 days

#### Application Rates: 49 mL/27 kg or 1.68 fl oz/bu of seed

NOTE: SoyRhizo® may be applied with approved seed treatment products either simultaneously, sequentially, or in a tank mix (slurry). If a tank mix is used, the mixture must be applied to the seed immediately and only the amount that can be applied to the seed in an hour should be premixed.

#### In-Furrow Tank-Mix Fertilizer Compatibility

Compatible In-Furrow Fertilizer Product Choices	Soybean Tank-Mix Planting Window	Compatible In-Furrow Fertilizer Product Choices	Soybean Tank-Mix Planting Window
3-18-18	8 hours	Lignijoule™	8 hours
10-34-0	8 hours	LS 624	8 hours
Alpine Bio20™	8 hours	Nachurs® 3-18-18	8 hours
Alpine G22®	8 hours	Nachurs® Triple Option®	8 hours
Arise™	8 hours	Nexus Zinc 9% EDTA	8 hours
Alpine K24®	8 hours	NutriPak™	8 hours
Alpine MicroBolt Mn®	8 hours	Pro-Germinator®	8 hours
Alpine MicroBolt Zn®	8 hours	Sunalta Boron	8 hours
CHS Aventine™ Complete	8 hours	Soygreen® - Low Rate	6 hours
KS 1022	8 hours	Soygreen® - High Rate	_
KS 1410	8 hours	XiteBio® Yield+	8 hours

XiteBio® and SoyRhizo® are registered trademarks of XiteBio Technologies Inc.; Allegiance®, EverGol®, Insure® Pulse, ILEVO® and Stress Shield® are registered trademarks of Bayer CropScience Inc.; Apron Maxx®, Clariva® pn, Cruiser®, Cruiser®, CruiserMaxx®, Fortenza®, RTA® and Vibrance® are registered trademarks of a Syngenta Group company; Rancona® and Vitafio® are trademarks of Arysta LifeScience North America, LLC; Alpine G22®, Alpine K24®, Alpine Microbolt Mn® Microbolt Zn® and Triple Option® are registered trademarks and Alpine Bio20™ is a trademark of Nachurs Alpine Solutions, LLC; Pro-Germinator® is a registered trademark of AgroLiquid; Lignijoule® is a trademark of Lignition Corporation Canada; NutriPak™ is a trademark of Agxplore, Senator® is a registered trademark of Natarm Ltd.; Warden® CX is a registered trademark of Minfield United Canada; PreCede® and Soygreen® are registered trademarks and Arise™ is a trademark of ATP Nutrition; CHS Avertine™ is a trademark of CHS Inc; Hibrix™ is a trademark of Hibrix Sales Pty Ltd.; All other trademarks are property of their respective owners.

List last Updated: 01 November, 2022

### XiteBio® PulseRhizo® with AGPT®

#### **Active Ingredient:**

Minimum of 7.2 x 10<sup>8</sup> Rhizobium leguminosarum CFU per mL

#### Formulation:

Ready-to-Use (RTU) Liquid

#### **Application Options:**

On-seed or in-furrow

#### **Application Rate:**

On-seed:

75 mL/27 kg (2.5 fl oz/ 60 lb or 2.1 fl oz/ 50 lb)

In-furrow:

250 mL/ac (at 12" row spacing)

#### What is XiteBio® PulseRhizo®?

XiteBio® PulseRhizo® for pea, lentil & faba bean is a premium liquid inoculant with Advanced Growth Promoting Technology (AGPT®) that delivers better plant vigor and higher yields.

XiteBio® PulseRhizo® helps farmers maximize the potential of their pea, lentil, and faba bean crops.

Recent field trials have found that when used properly our premium liquid inoculant is on average equal to or better than the granular competitors. But the benefits of our liquid inoculant go beyond yield. Our liquid inoculant is more cost effective than granular\* and easier to handle and store. With no storage or hauling of large bags our premium liquid inoculant saves space and physical effort for farmers and retailers.

XiteBio® PulseRhizo® has been tested across the Canadian Prairies and Northern United States. Visit our website for more information on test locations and yield results.

\*Pricing as of September 2023 against leading granular competitors.

#### Package Size:

1 x 12.0 L or 405.76 fl oz/Case 4 x 3.0 L or 101.4 fl oz/Case

#### **Case Treats:**

12 L bag: 160 bu/4356 kg/9584 lb seed 3 L bag: 40 bu/1089 kg/2400 lb seed

#### On-Seed Life:

Up to 7 days
Please consult compatibility charts

#### Shelf Life:

1 year

#### Approved for organic use in Canada

#### Why use XiteBio® PulseRhizo®?


- Ready-to-Use liquid formulation
- No sticking or reduced bridging of seeds
- Invigorates native bacteria
- Works under different soil and environmental conditions
- Up to 7 days on seed
- Compatible with most seed treatments & some fertilizers\*

#### Handling directions

- Shake well before use
- Store in a cool dry place between 4°C and 25°C, away from high wind
- Do not allow product to freeze
- Open only when ready to use

<sup>\*</sup>Please consult compatibility charts


### **Effect of Inoculant on Lentils**





Source: 3rd Party Research; Hamman Ag Research; Small Plot Inc;

Competitors: Nodulator® Duo granular, TagTeam® granular, Cell-Tech®

etc. (20 Trials: 2015-2023)









Competitor: Lift Kit (N-Take, Accolade, Takeoff)


### **Effect of Inoculant on Peas**




Source: 3rd Party Research; Montana State University; North Dakota State University; Hamman Ag Research; Small Plot Inc. Competitors: Nodulator® Duo granular, TagTeam® granular, Agtiv® Rhizo etc. (40 Trials: 2015-2023)



Source: SARDA, Debolt, AB; 2023 Competitor: TagTeam® granular





Competitors: Agtiv® Rhizo; TagTeam®

#### Seed Treatment Compatibility

Compatible Seed Treatment Product Choices	Pea, Lentil & Faba Bean On-Seed Planting Window	Compatible Seed Treatment Product Choices	Pea, Lentil & Faba Bean On-Seed Planting Window
Allegiance® FL	7 days	PreCede® Pulse	7 days
Apron® Advance	7 days	Rancona®	24 hours*
Apron Maxx® RFC	7 days	Rancona® Trio	24 hours*
Apron Maxx® RTA	7 days	Regent®	7 days
Crop Aid Seed	48 hours	Stress Shield® 600	24 hours*
Cruiser® 5FS	7 days	Sombrero™ 600 FS	24 hours*
Cruiser Maxx® Vibrance® Pulses	7 days	Trilex <sup>®</sup> AL	7 days
EverGol® Energy	7 days	Trilex® EverGol®	7 days
Inspire - Seed Starter	48 hours	Vibrance® Maxx	7 days
Insure® Pulse	24 hours*	Vibrance® XL	7 days
INTEGO® Solo	48 hours	Vitaflo® 280	7 days
Lumivia CPL™	48 hours	Zeltera® Pulse	48 hours

#### Application Rate: 75 mL/27 kg (2.5 fl oz/bu if 1 bu = 60lbs, 2.1 fl oz/bu is 1 bu = 50lbs)

NOTE: PulseRhizo® may be applied with approved seed treatment products either simultaneously, sequentially, or in a tank mix (slurry). If a tank mix is used, the mixture must be applied to the seed immediately and only the amount that can be applied to the seed in an hour should be premixed. \*Treat and seed same day.

#### In-Furrow Tank-Mix Fertilizer Compatibility

•		Compatible In-Furrow Fertilizer Product Choices	Pea, Lentil & Faba Bean Tank-Mix Planting Window
Arise™	8 hours	Lignijoule™	8 hours
Alpine K24®	8 hours	NutriPak™	8 hours**
Kalibrate®	8 hours	XiteBio® Yield+	8 hours

<sup>\*\*</sup>Fertilizer must be diluted with water to a ratio of 10:1 or greater

XiteBio® and PulseRhizo® are registered trademarks of XiteBio Technologies Inc. Allegiance®, EverGol®, Stress Shield® and Trilex® are registered trademarks of Bayer CropScience Inc.; Apron®, Apron Maxx®, Cruiser®, Cruiser®, Cruiser®, Cruiser® and Vitaflo® are registered trademarks of a Syngenta Group company; Rancona® and Vitaflo® are registered trademarks of Arysta LifeScience North America, LLC; Insure® and Regent® are registered trademarks of BASF Corporation; Alpine K24®is a trademark of Nachurs Alpine Solu-tions, LLC; LigniJoule® is a registered trademark of Lignition Corporation Canada; PreCede® is a registered trademark and Arto Nutrition; INTEGO® is a registered trademark of Valent USA LLC; NutriPak™ is a trademark of AgXplore; Sombre-ro™ is a trademark of Adama Agricultural Solutions Canada Ltd.; Kalibrate® is a registered trademark of AgroLiquid; Lumivia™ is a trademark of Corteva™ Agriscience. Zeltera® is a registered trademark of Sumitomo Chemical Corp. All other trademarks are property of their respective owners.

List last Updated: 07 June, 2022

### What is AGPT®?

#### Advanced Growth Promoting Technology

AGPT® is a revolution in liquid inoculant technology. It is a proprietary liquid formulation combined with the beneficial bacteria *Rhizobium*.


What makes AGPT® powered inoculants different from conventional inoculants is the liquid solution in which the bacteria are suspended. Not only does our formulation nourish our premium rhizobia, it also nourishes the native soil microflora.

Our biotechnological research, and rigorous QA/QC process, guarantees the optimal number of live bacteria are delivered through our inoculants. Too many or too few rhizobia can be detrimental to the natural balance of the soil. AGPT® ensures that once the product is applied, either on-seed or in-furrow, the existing soil ecosystem thrives and works in synergy with the newly introduced rhizobia.

Generic inoculants rarely invigorate native soil microflora. They simply introduce new rhizobia without taking into account the needs of the soil. This can cause competition for resources in the soil.

AGPT® products are sustainable and compatible with regenerative farming practices. Whether you use them in organic applications (in Canada) or in tandem with your regular fertilizer program, they produce healthier plants and better yields.

#### Available only in XiteBio® SoyRhizo® and XiteBio® PulseRhizo®



### How to Check for Nodulation in Legume Plants

#### How?

Root nodules are formed thanks to the symbiotic relationships between legume plants and rhizobia. This symbiosis is kept in check by the plants, which possess a gene called "autoregulation of nodulation" (AON) (1). AON ensures the plant can control nodule formation, and therefore control the energy consumed by the rhizobia within the nodules (2). This prevents the symbiosis from becoming parasitic. Symbiosis begins when a plant releases organic compounds called flavonoids. The flavonoids attract a species of rhizobia specific to that crop, which will then infect the root hairs of the plant (3). The rhizobia release their own chemicals, called lipo-chitooligosaccharides (LCO), which cause the root to wrap around the bacteria, forming a nodule.

#### Why?

Once nodules form, the rhizobia will begin to fix N for the plant in return for carbon (4).

#### When?

To check for nodules, wait four to six weeks after planting then carefully remove a plant with all its roots and surrounding soil.

#### Where?

Gently remove or wash away the soil from the roots to expose the nodules. On-seed inoculation will cause nodules to appear near the crown of the root system, while in-furrow inoculation will cause nodules to appear on the lateral roots (3). Slice a nodule in half to see the colour within; pink indicates that N fixation is occurring, while white, green, grey, or no nodules indicates N-fixation is not active.

#### What?

What to do if you have a lack of nodulation. There are many factors as to why nodules are not pink or do not appear at all.

Pale white nodules can mean that the plant is still young, and N-fixation has not started. Grey or green coloured nodules can indicate that N-fixation has stopped and is no longer active (3). If there is no nodulation whatsoever, this could be due to many reasons: the soil pH is below 6.0 or above 8.0, a lack of soil moisture, too high or too low temperatures, high soil N levels, excessive salinity, compatibility issues with other seed treatments, or improper handling and storage methods prior to application (5, 6).

Root nodulation occurs when bacteria infect legume plants and provide usable Nitrogen (N) in exchange for food. Nodules can form naturally in soil where legume crops have been repeatedly grown. But numerous third party research studies conducted on our inoculant products (XiteBio® SoyRhizo® and XiteBio® PulseRhizo®) have, on average, shown that commercial inoculation produces higher yielding crops. Commercial inoculants contain specific bacterial strains and other ingredients that promote N fixation and plant health.

We always suggest using a premium liquid inoculant product to ensure that your legume crop produces to its highest potential. Using XiteBio products with AGPT® technology also helps to bolster soil health by ensuring that the introduced rhizobia work in synergy with the native microflora.



References:

- 1. Bjederbeck VO, Bjorge HA, Brandt SA, Henry JL, Hultgreen GE, Kielly GA, Slindard AE. 2005. Soil improvements with legumes. Ed: BJ Green, VO Bjederbeck. Government of Saskatchewan
- 2. Staton M. 2014. Identifying and responding to soybean inoculation failures. Michigan State University. Published 4 Feb 2014.
- 3. Conley S. 2015. Non-nodulating soybean questions. Agri-View Briefs. Published 23 July 2015.
  4. https://www.saskatchewan.ca/business/agriculture-natural-resources-and-industry/agribusiness-farmers-and-ranchers/crops-and-irrigation/soils-fertility-and-nutrients/inoculation-of-pulse-crops
- 5. https://www.farmanddairy.com/news/inoculants-support-soybean-farmers/3535.html
- 6. https://xitebio.ca/xitebio-soyrhizo-premium-liquid-inoculant/

### What is PGPR?

#### Plant Growth Promoting Rhizobacteria

PGPR (Plant Growth Promoting Rhizobacteria) are the class of beneficial soil bacteria in the root zone that colonize the roots and stimulate plant growth. The XiteBio® Yield+ line of products uses patented PGPR *Bacillus firmus*. The XiteBio® Yield+ line of products promotes plant growth and development resulting in more yield via the following modes of action:

#### **Phosphorus Solubilization**

Adequate P (phosphorus) is critical to plant development, particularly early in the growing season. Not all P is accessible to plants as it can bind to minerals in the soil such as calcium, iron, and aluminum. The XiteBio® Yield+ line of products releases enzymes into the soil that unlocks P from these ions and makes it more available for plants.


#### **Phytohormone Production**

Just as they are for animals, hormones are important for healthy plant growth. The XiteBio® Yield+ line of products produces vital plant hormones such as IAA (indole-3-acteic acid) that encourage the root system to grow early, vigorously and seek out nutrients.

#### Iron Chelation

Iron (Fe) is a critical component of many plant functions such as chlorophyll production. Not all Fe in the soil is accessible to plants since it is in the unavailable form. XiteBio® Yield+ produces siderophores, which are molecules that chelate (bind to) Fe and make it more available to plants.

#### Available in XiteBio® Yield+ line of products.



### Early-Post PGPR Application vs. Foliar Application

What is the difference between a foliar application and an early-post (post-emergence) Plant Growth Promoting Rhizobacteria (PGPR) application? Essentially one works on a plant's leaves while the other works on a plant's roots. To get the best ROI out of your ag-biological products it is important to understand how they work so you can apply them in the most beneficial way.

Ag-biological products often work in one of two ways when applied through the sprayer. They can be absorbed through the plant's leaves which is called a foliar application, or they become active in the plant's rhizosphere (root zone). These rhizobacteria are often referred to as PGPR (1).

Understanding the differences between these two products and how they work can help farmers to time their applications correctly and get the most out of their crop inputs.

Foliar inputs face two main challenges: retention and penetration (2). Retention means the applied input needs to stay on the leaf instead of sliding off. Penetration means the applied input needs to penetrate the leaf's surface to enter the plant and be effective. An effective foliar application needs to stay on the plant's leaf long enough to penetrate the surface.

PGPR technology by contrast only faces one challenge. It needs to be applied in a way that it touches the soil near the base of the plant.

Once PGPR have reached the ground they travel through micropores in the soil through a process called chemotaxis. Chemotaxis is driven by the movement of the bacteria's flagella to create a 3-dimensional walk biased by signals exuded by the plant roots (3).

To explain that last sentence in layman's terms: Some bacteria have little tails known as flagella. They wave these tails around to travel. While they don't always travel in straight lines, they are able, in a meandering way, to travel in a certain direction. Since bacteria are motivated by external stimuli, they tend to move towards chemical signals (root exudates or sloughed off tissues, basically the substrates or bacterial food) produced by the plant roots in the rhizosphere.

Because PGPR need to reach the soil to be effective it is important to time their application correctly. We recommend that our XiteBio® Yield+line of products (our P-solubilizing PGPR) be applied in the 0-6 leaf stage. However, this can vary depending on the crop.

Contact your local XiteBio sales representative for more information specific to PGPR application timing on your crop.



Corn - Altona, MB; 2023

References:

https://microbiologyjournal.org/plant-growth-promoting-rhizobacteria-pgpr-prospective-and-mechanisms-a-review/https://biologicalslatam.com/en/issue-02/keys-to-the-effective-foliar-application-of-biostimulants/https://www.frontiersin.org/articles/10.3389/fpls.2021.725338/full

### The 5 W's of P-solubilization

### What? Where?

Plant Growth Promoting Rhizobacteria (PGPR) are bacteria that live in the root zone (rhizosphere) that can enhance plant growth.


XiteBio's Phosphorus (P)-solubilizing technology is based on a patented strain of PGPR called *Bacillus firmus*. This technology concentrates naturally occurring bacteria that have been selected for their ability to solubilize P.


Phosphorus can become chemically unavailable in the soil binding to ions of Iron (Fe) in low pH soils (<4.5), Aluminium (Al) in medium pH soils (4.5-5.5), and Calcium (Ca) in higher pH soils (>5.5).

P-solubilizing PGPR's are applied near the root zone (rhizosphere) in much higher concentrations than they are found naturally. They then establish colonies and help to free P for uptake by the plant.

P-solubilizing microbes operate in the rhizosphere. The rhizosphere is also known as the root zone defined as the area within 4 mm (1/8 inch) around plant roots.

Once the P-solubilizing microbes have reached the ground they travel through micropores in the soil through a process called chemotaxis. The bacteria use signals exuded by the plant's roots to travel towards the rhizosphere. The carbon deposits that come from the roots of the plants have been seen to indirectly increase P availability by stimulating the P-solubilizing micro-organisms to release more phosphatase (the P-solubilizing enzyme) into the rhizosphere.





P-solubilizing bacteria produce natural enzymes that affect soil pH and break the bonds connecting the Fe, Al and Ca to the P. These enzymes are called phosphatase enzymes. They are produced by bacteria, fungi and plant roots and their function is to break phosphate away from its substrates transforming unavailable forms of P into plant available forms of P.

In the above, a schematic diagram is showing how a phosphatase enzyme works. As the substrate of P bonded with Fe enters the active site of the enzyme it breaks the bond between the P and the Fe. Once the bond is broken the now solubilized (free) P is available for uptake by the plant.

#### When?

We recommend applying our XiteBio® Yield+ P-solubilizing line of products in-furrow or in the 0-6 leaf stage through the sprayer. Because PGPR products colonize the rhizosphere (root zone) they need to reach the soil near the plant to be effective.

The best results from ag-biological products often come when they are applied early and paired with an existing practice. Because of this a good PGPR technology needs to be compatible with products that are already used by the farmer. When PGPR is timed with an existing application of herbicide or fertilizer it does not necessitate extra passes through the field. This saves time, money (fuel, wear-and-tear on the equipment) and compaction. Our Xitebio® Yield+ line of products has advanced compatibility both in-furrow and through the sprayer. See our compatibility charts for more details.

### Why?

The world has never produced more food through agriculture than it does today. Phosphorus fertilizer plays an important role in increasing agricultural output, however, its finite source, dwindling supplies, and overall environmental impact have begun the conversation on how to manage this resource more efficiently.

P-solubilizers like the XiteBio<sup>®</sup> Yield+ line of products have been shown in trials to increase yields while simultaneously allowing for more efficient use of P fertilizer. Using the XiteBio® Yield+ line of products means farmers do not have to choose between sustainability and profitability.

### XiteBio® Yield+ with PGPR

#### **Active Ingredient:**

Minimum of 1 x 10<sup>8</sup>

Bacillus firmus CFU per mL

#### **Modes of Action:**

- Phosphorus (P) Solubilization
- Phytohormone Production
- Iron (Fe) Chelation

#### Formulation:

Ready-to-Use (RTU) Liquid

#### **Application Options:**

- In-furrow (at planting)
- Early post-emergence (at 0-6 leaf stage)

#### Why is XiteBio® Yield+ revolutionary?

- Solubilizes soil-bound P (phosphorus) into forms plants can uptake, increasing plant available P
- Produces and releases phytohormones, encouraging early root growth and development
- 3. Produces Iron (Fe) chelating siderophores, increasing iron availability for plant uptake

#### Why use XiteBio® Yield+?

- Enhanced root development and plant vigor
- Improved P availability encourages earlier flowering
- Easy-to-use, all-in-one 10 L package treats 40-65 acres depending on row spacing
- Compatible with most herbicides and starter fertilizers
- In-furrow or early post-emergent application
- No extra passes needed
- Tank mixable
- Extended shelf life over 2 cropping seasons

#### Tank-Mix Compatible:

Vac

Please consult compatibility charts

#### Package Size:

10 L or 338.1 fl oz/Case

#### Case Treats:

40 - 65 acres\*
\*depending on row spacing

#### **Application Rate:**

0.25 L/ac (post-emergent or in-furrow)

#### Shelf Life:

2 Year

#### Approved for organic use in Canada


#### **Handling directions**

- Shake well before use
- Store in a cool dry place between 4°C and 25°C, away from high wind
- Do not allow product to freeze
- Open only when ready to use

#### About Bacillus firmus

Bacillus firmus (B. firmus) is a competitive and resilient bacteria. It has a high stress tolerance and is able to persist through unfavorable environmental conditions. B. firmus is a spore forming bacteria, meaning when it becomes stressed it produces spores that will persist in the soil if it is unable to survive. The spores remain in the soil until conditions become more convenient, which then leads to the sporulation/regeneration of the bacteria.


### Canola +2.3 bu/ac



Source: 3<sup>rd</sup> Party Research Trials; Ag-prove Trials; 3<sup>rd</sup> Party Trials; Double Diamond Farm Supply; New Era Technologies Inc. (60 Trials: 2012-2022)



### Soybean +2.4 bu/ac




Source: 3<sup>rd</sup> Party Research Trials; University of Missouri; Kent Ag Research; 3<sup>rd</sup> Party Trials; New Era Technologies Inc. (20 Trials, 2016-2023)






### Corn +5 bu/ac



Source: 3<sup>rd</sup> Party Research Trials; Ohio State University; University of Illinois; University of Wisconsin; 3<sup>rd</sup> Party Trials; Sample Agri; GJ Chemical (55 Trials: 2012-2022)




### Wheat +4 bu/ac



Source: 3<sup>rd</sup> Party Research Trials; Ag-prove Trials; 3<sup>rd</sup> Party Trials; Double Diamond Farm Supply; New Era Technologies Inc. (12 Trials: 2017-2023)


### Peas +5.9 bu/ac



Source:  $3^{rd}$  Party Research Trial;  $3^{rd}$  Party Trials; New Era Technologies Inc. (2016-2022)



### Barley +7.9 bu/ac



Source: 3rd Party Trials (2016-2018)



#### In-Furrow Tank-Mix Compatibility

Compatible In-Furrow Fertilizer Products	Tank-Mix Application Window	Compatible In-Furrow Fertilizer Products	Tank-Mix Application Window
6-24-6	8 hours	iQ Phos	8 hours
10-34-0	8 hours	KQ2517™	8 hours
15-0-0-20	8 hours	KQ-XRN™	8 hours
15-0-0-20 + 28-0-0	8 hours	KS1022	8 hours
28-0-0	8 hours	KS1410	8 hours
Active BUILD™	8 hours	KS2075	8 hours
Agriflora™	8 hours	LigniJoule®	8 hours
Alpine Bio20™	8 hours	LS624	8 hours
Alpine Bio22 Micro	8 hours	LS924	8 hours
Alpine G22®	8 hours	ManZinPhos™	8 hours
Alpine HKW18®	8 hours	Nachurs® Bio-K®	8 hours
Alpine K24®	8 hours	Nachurs® Triple Option®	8 hours
Alpine MicroBolt B®	8 hours	Pro-Germinator®	8 hours
Alpine MicroBolt Mn®	8 hours	TNT Starter	8 hours
Alpine MicroBolt Zn®	8 hours	Sunalta Boron	8 hours
Bio-Forge®	8 hours	XiteBio® PulseRhizo®	8 hours
CHS Aventine™ Complete	8 hours	XiteBio® SoyRhizo®	8 hours

#### Early-Post Tank-Mix Compatibility

Compatible Early-Post Herbicide/Pesticide Product Choices	Tank-Mix Application Window	Compatible Early-Post Herbicide/Pesticide Product Choices	Tank-Mix Application Window
	1		
2,4-D Ester 700	8 hours	Headline <sup>®</sup>	8 hours
AAtrex® Liquid 480	8 hours	Liberty <sup>®</sup>	8 hours
Ares <sup>®</sup>	8 hours	Odyssey <sup>®</sup>	8 hours
Armezon®	8 hours	Pounce <sup>®</sup>	8 hours
Axial® + Infinity®	8 hours	Primextra®	8 hours
Boundary®	8 hours	Prowl® H20	8 hours
Broadstrike™	8 hours	Roundup®	8 hours
Buctril® M	8 hours	Sencor®	8 hours
Callisto <sup>®</sup>	8 hours	Sierra®	8 hours
Classic® Grande + Glyphosate	8 hours	Solo® WDG	8 hours
Centurion® + Amigo® + Liberty®	8 hours	Talinor <sup>®</sup>	8 hours
Curtail <sup>®</sup> M	8 hours	Traxos <sup>®</sup>	8 hours
Factor® 540	8 hours	Viper® ADV	8 hours
Frontier® Max	8 hours	XtendiMax <sup>®</sup>	8 hours
Halex® GT	8 hours		

XiteBio®, SoyRhizo® and PulseRhizo® are registered trademarks of XiteBio Technologies Inc.; Roundup® is a registered trademark of Monsanto Technology LLC; Ares®, Armezon®. Centurion®, Headline®, Liberty®, Odyssey®, Frontier® Max, Prowl® H2O and Solo® are registered trademarks of BASF Corporation; Amigo® is a registered trademark of Arysta LifeScience North America, LLC; Facto® is a registered trademark of Interprovincial Cooperative Ltd.; Bio-Forage® is a registered trademark of Sololer Enterprises, Inc.; Alpine G22®, Alpine HKW18®, Alpine K24®, Alpine MicroBolt Mn®, Alpine MicroBolt Tan®, Alpine MicroBolt Tan®,

List last Updated: 30 May, 2023

### XiteBio® Yield+ Targets the Soil

XiteBio's Yield+ line of products works in the soil.

Apply them in-furrow or early post-emergent so they can reach the roots to be effective.



### XiteBio® Tuber+ with PGPR

#### **Active Ingredient:**

Minimum of 1 x 10<sup>8</sup>
Bacillus firmus CFU per mL

#### **Modes of Action:**

- Phosphorus (P) Solubilization
- Phytohormone Production
- Iron (Fe) Chelation

#### Formulation:

Ready-to-Use (RTU) Liquid

#### **Application Options:**

- In-furrow (at planting)
- Early post-emergence (at 0-6 leaf stage)

#### Tank-Mix Compatible:

Yes

Please consult compatibility charts

#### Package Size:

10 L or 338.1 fl oz/Case

#### **Case Treats:**

40 - 65 acres\*

\*depending on row spacing

#### **Application Rate:**

0.25 L/ac (post-emergent or in-furrow)

#### Shelf Life:

2 Year

#### Approved for organic use in Canada

#### **Ag-Biological for Tuber Crops**

- · Phosphorus (P) solubilizer
- Phytohormone production



Iron Chelation

3 in 1

#### Why use XiteBio® Tuber+?

- Unique patented strain of Bacillus firmus vigorously colonizes plant roots and solubilizes soil-bound P for increased plant uptake.
- In-furrow application can be used with water or with select liquid starter fertilizers.
   Consult label & compatibility charts for further details
- Convenient early-post application: tank mix with many post-emergent herbicides at 0-6 leaf stage.


#### About XiteBio® Tuber+


- Patented Bacillus firmus
- Proven microbial technology
- All-in-one liquid formulation
- 10 L bag in a box packaging
- Treats up to 65 acres\*


\*Depending on row spacing


#### Handling directions


- Shake well before use
- Store in a cool dry place between 4°C and 25°C, away from high wind
- Do not allow product to freeze
- Open only when ready to use

















#### In-Furrow Tank-Mix Compatibility

Compatible In-Furrow Fertilizer Products	Tank-Mix Application Window	Compatible In-Furrow Fertilizer Products	Tank-Mix Application Window
	1		l
6-24-6	8 hours	iQ Phos	8 hours
10-34-0	8 hours	KQ2517™	8 hours
15-0-0-20	8 hours	KQ-XRN™	8 hours
15-0-0-20 + 28-0-0	8 hours	KS1022	8 hours
28-0-0	8 hours	KS1410	8 hours
Active BUILD™	8 hours	KS2075	8 hours
Agriflora™	8 hours	LigniJoule <sup>®</sup>	8 hours
Alpine Bio20™	8 hours	LS624	8 hours
Alpine Bio22 Micro	8 hours	LS924	8 hours
Alpine G22 <sup>®</sup>	8 hours	ManZinPhos™	8 hours
Alpine HKW18®	8 hours	Nachurs® Bio-K®	8 hours
Alpine K24®	8 hours	Nachurs® Triple Option®	8 hours
Alpine MicroBolt B®	8 hours	Pro-Germinator®	8 hours
Alpine MicroBolt Mn®	8 hours	TNT Starter	8 hours
Alpine MicroBolt Zn®	8 hours	Sunalta Boron	8 hours
Bio-Forge®	8 hours	CHS Aventine™ Complete	8 hours

#### Early-Post Tank-Mix Compatibility

Compatible Early-Post Herbicide/Pesticide Product Choices	Tank-Mix Application Window	l	Tank-Mix Application Window
Clethodim	8 Hours	Mutribuzin	8 Hours
Diaquat	8 Hours	Poast® Ultra	8 Hours
Focus®	8 Hours	Reglone® Ion	8 Hours
Frontier Max®	8 Hours	Sencor®	8 Hours
Glyphosate	8 Hours	Ziuda <sup>®</sup> SC	8 Hours

Compatible Early-Post Fungicide/ Pesticide Product Choices	Tank-Mix Application Window	Compatible Early-Post Fungicide/ Pesticide Product Choices	Tank-Mix Application Window
Elatus®	8 Hours	Serenade <sup>®</sup>	8 Hours
Pounce®	8 Hours	Serenade® OPTI	8 Hours
		Serenade® Soil	8 Hours

Roundup®, Sencor® and Serenade® are registered trademarks of Bayer; Frontier® Max, Poast® Ultra and Zidua® SC are registered trademarks of BASF Corporation; Amigo® is a registered trademark of Arysta LifeScience North America, LLC; Factor® is a registered trademark of Interprovincial Cooperative Ltd.; Bio-Forge® is a registered trademark of Stoller Enterprises, Inc.; Alpine G22®, Alpine HKW18®, Alpine K24®, Alpine MicroBolt B®, Alpine MicroBolt Mn®, Alpine MicroBolt Zn®, Bio-K® and Triple Option® are registered trademarks of Nachurs Alpine Solutions, LLC; LignIJoule® is a registered trademark of Lignition Corporation Canada; Pounce® and Focus® are registered trademarks of FMC; CHS Aventine™ is a trademark of SInc.; Agriflora™ is a trademark of Omex Agriculture Inc.; KQ2517™ and KQ-XRN™ are trademarks of Kugler Oil Company Corporation; Active BUILD™ is a trademark of Active Agriscience™; Elatus® and Reglone® are registered trademarks of Syngenta® All other trademarks are property of their respective owners.

List last Updated: 20 July, 2023

Please read product label carefully & follow application directions.

For more info and any updates: Visit www.xitebio.ca or call toll-free 1-855-XITEBIO (1-855-948-3246)

### XiteBio® OptiPlus® with AGPT® and PGPR

#### **Active Ingredients:**

Minimum of 1 x 10<sup>8</sup> Bacillus firmus CFU per mL

Minimum of 2 x 10° Bradyrhizobium japonicum CFU per mL

#### **Modes of Action:**

- Nitrogen (N) Fixation
- Phosphorus (P) Solubilization
- Phytohormone Production
- Iron (Fe) Chelation

#### Formulations:

Ready-to-Use (RTU) Liquids

#### **Application Options:**

In-furrow (at planting)

#### Tank-Mix Compatible:

Yes

Please consult compatibility chart

#### Package Size:

22.6 L or 764 fl oz/Case

#### **Case Treats:**

Variable acres depending on row spacing and/ or previous history of soybeans on field. Consult label for full details.

#### Application Rate:

Variable rate depending on row spacing and/ or previous history of soybeans on field. Consult label for full details.

#### Shelf Life:

1 Year

#### Approved for organic use in Canada


#### Why you should use XiteBio® OptiPlus®?

- N-fixing dual inoculant
- Unlocks tied up nutrients
- · Cost effective vs. dry granular inoculant
- No air tank bridging, no dust
- No plugged equipment
- · Easy & uniform in-furrow application
- · Quick and simple inoculant refill
- Use your preferred liquid starter fertilizers
- Agronomic performance equal to or better than granular inoculants expected by 3-6%

#### Handling directions

- · Shake well before use
- Store in a cool dry place between 4°C and 25°C, away from high wind
- Do not allow product to freeze
- Open only when ready to use

Product needed to treat 800 acres of soybeans at 12" row spacing:



#### XiteBio® OptiPlus® with AGPT® and PGPR

XiteBio® OptiPlus® saves you time and money. This product is for soybean growers that want to take their yields to the next level. We have combined our AGPT® and PGPR technology into one easy to use liquid co-pack. XiteBio® OptiPlus® contains an N-fixing inoculant and a P-solubilizing biological.

Our liquid formulation saves retailers and growers space over the granular competitor. This means less shipping and warehousing costs. XiteBio® OptiPlus® uses cutting edge ag-biological technology to reduce inputs while delivering healthier plants and better yields.

#### +12 bu/ac



Source: 3rd party trial, Minot, ND; 2021.



New Lepzig, ND; 2021

#### In-Furrow Tank-Mix Fertilizer Compatibility

Compatible In-Furrow Fertilizer Product Choices	Tank-Mix Planting Window	Compatible In-Furrow Fertilizer Product Choices	Tank-Mix Planting Window
3-18-18	8 hours	KS 1410	8 hours
10-34-0	8 hours	Lignijoule™	8 hours
Alpine Bio20™	8 hours	LS 624	8 hours
Alpine G22®	8 hours	Nachurs® 3-18-18	8 hours
Alpine K24®	8 hours	Nachurs® Triple Option®	8 hours
Alpine Microbolt Mn®	8 hours	Nexus Zinc 9% EDTA	8 hours
Alpine Microbolt Zn®	8 hours	NutriPak™	8 hours
Arise™	8 hours	Pro-Germinator®	8 hours
CHS Aventine™ Complete	8 hours	Soygreen® - Low Rate	6 hours
KS 1022	8 hours	Soygreen® - High Rate	_

Alpine G22°, Alpine K24°, Alpine Microbolt Mn°, Alpine Microbolt Zn° and Triple Option° are registered trademarks of Nachurs Alpine Solutions, LLC; Pro-Germinator° is a registered trademark of AgroLiquid; Lignijoule™ is a trademark of Lignition Corporation Canada; NutriPak™ is a trademark of AgX-plore; Soygreen® is registered trademark of Lab JAER; Arise™ is a trademark of ATP Nutrition; CHS Aventine™ is a trademark of CHS Inc.; All other trademarks are property of their respective owners.

List last Updated: 30 May, 2023



### Active Ingredient:

Bacillus firmus
Minimum of 1x10<sup>8</sup> CFU per mL

#### Formulation:

Ready-To-Use (RTU) Liquid 10 L/Case

#### **Application Rate:**

250 mL/ac (may vary with row spacing)

#### **Application Method:**

In-furrow Early-post (0-6 leaf)

#### Compatibility:

Compatible with starter fertilizers\*
Compatible with pesticides\*
\*See compatibility chart

#### Organic:

Certified organic in Canada

### Crops

- Tomatoes
- Peppers
- Cauliflower
- Onions
- Cucumbers
- Carrots
- Navy Beans

### What is it?


XiteBio® Vegi+ is a unique ag-biological that uses a patented strain of *Bacillus firmus*. This bacteria vigorously colonizes plant roots and solubilizes soil bound phosphorus (P) for increased plant uptake.

This unique bacteria also produces phytohormones which stimulate earlier initiation of roots and their development. Allowing the plant to have more access to soil nutrients, air and water.

These modes of action have been observed to increase the number of fruits per plant, the number of marketable vegetables and overall yield.




### Effect of XiteBio® Vegi+ Greenhouse Tomatoes, Cucumbers & Peppers







Variety: Early Girl
Application method: Drench at planting
Plot size used: 1m<sup>2</sup>





Variety: Straight 8s
Application method: Drench at planting
Plot size used: 1m<sup>2</sup>





Variety: Banana Peppers Application method: Drench at planting Plot size used: 1m<sup>2</sup>


Source: FarmForest Research Inc., Westport, ON; 2020

### Effect of XiteBio® Vegi+ on Field Vegetables




Plot size used: 6m<sup>2</sup>

Source: FarmForest Research Inc., Braeside, ON; 2021



Plot size used: 6m<sup>2</sup> Source: FarmForest Research Inc., Braeside, ON; 2021




Plot size used: 9m<sup>2</sup> Source: BlackCreek Research, Bright, ON; 2021




Plot size used: 3m<sup>2</sup>

Source: FarmForest Research Inc., Almonte, ON; 2020



Plot size used: 9m2

Source: BlackCreek Research, Bright, ON; 2021



Plot size used: 9m2

Source: BlackCreek Research, Bright, ON; 2020

#### In-Furrow Tank-Mix Compatibility

Compatible In-Furrow Fertilizer Products	Tank-Mix Application Window	Compatible In-Furrow Fertilizer Products	Tank-Mix Application Window
6-24-6	8 hours	iQ Phos	8 hours
10-34-0	8 hours	KQ2517™	8 hours
28-0-0	8 hours	KQ-XRN™	8 Hours
Active BUILD™	8 hours	LigniJoule®	8 Hours
Agriflora™	8 hours	LS624	8 hours
Alpine Bio20™	8 hours	ManZinPhos™	8 hours
Alpine G22®	8 hours	Nachurs® Bio-K®	8 hours
Alpine HKW18®	8 hours	Nachurs® Triple Option®	8 hours
Alpine K24®	8 hours	Pro-Germinator®	8 hours
Bio-Forge®	8 Hours	TNT Starter	8 hours
CHS Aventine™ Complete	8 Hours	Sunalta Boron	8 hours

#### Early-Post Tank-Mix Compatibility

Compatible Early-Post Tank-Mix Herbicide/Pesticide Product Application Window Choices		Compatible Early-Post Tank-Mix Application Herbicide/Pesticide Product Window Choices		
2,4-D Ester 700	8 hours	Liberty <sup>®</sup>	8 hours	
Buctril® M	8 hours	Odyssey <sup>®</sup>	8 hours	
Callisto <sup>®</sup>	8 hours	Pounce®	8 Hours	
Centurion® + Amigo® + Liberty®	8 hours	Prowl® H20	8 Hours	
Factor® 540	8 hours	Roundup®	8 hours	
Frontier ®Max	8 hours	Sencor®	8 hours	
Headline <sup>®</sup>	8 hours			

Roundup® is a registered trademark of Monsanto Technology LLC; Centurion®, Headline®, are registered trademarks of BASF Corporation; Amigo® is a registered trademark of Arysta LifeScience North America, LLC; Factor® is a registered trademark of Interprovincial Cooperative Ltd.; Bio-Forge® is a registered trademark of Stoller Enterprises, Inc.; Alpine G22®, Alpine HWV18®, Alpine K24®, Bio-K® and Triple Option® are registered trademarks of Nachurs Alpine Solutions, LLC; LigniJoule® is a registered trademark of Lignition Corporation Canada; Pounce® is a registered trademark of FMC; Pro-Germinator® is a registered trademark of AgroLiquid; CHS Aventine™ is a trademark of CHS Inc.; Agriflora™ is a trademark of Omex Agriculture Inc.; KQ2517™ and KC27RI™ are trademarks of Kugler Oil Company Corporation; Active BUILD™ is a trademark of Active Agriscience™; All other trademarks are property of their respective owners.

List last Updated: 25 October, 2023

### XiteBio® Products At A Glance

	XiteBio® PulseRhizo®	XiteBio® SoyRhizo®	XiteBio® Yield+	XiteBio <sup>®</sup> OptiPlus <sup>®</sup>	XiteBio® Tuber+	XiteBio® Vegi+
Crops	Peas, Lentils & Faba Beans	Soybeans	Oilseeds, Cereals, Legumes	Soybeans	Tuber Crops	Vegetable Crops
Product Type	Premium Liquid Inoculant	Premium Liquid Inoculant	Liquid Biological Phosphate Solubilizer	Multi-action Liquid Inoculant	Liquid Biological Phosphate Solubilizer	Liquid Biological Phosphate Solubilizer
Mode of Action	Nitrogen Fixation	Nitrogen Fixation	Phosphate Solubilization	Nitrogen Fixation + P-Solubilization	Phosphate Solubilization	Phosphate Solubilization
Biological Active	Rhizobium leguminosarum	Bradyrhizobium japonicum	Bacillus firmus	Bradyrhizobium japonicum + Bacillus firmus	Bacillus firmus	Bacillus firmus
Technology	AGPT®*	AGPT®	PGPR*	AGPT® + PGPR	PGPR	PGPR
Application	On-seed In-furrow	On-seed In-furrow	In-furrow Early Post-Emergent	In-furrow	In-furrow Early Post-Emergent	In-furrow Early Post-Emergent
Seed Treatment Survival	Up to 7 days	Up to 90 days	N/A	N/A	N/A	N/A
Tank Mix Survival	Up to 8 hours	Up to 8 hours	Up to 8 hours	Up to 8 hours	Up to 8 hours	Up to 8 hours
Seed Treatment/ Tank-mix Compatibility	See Compatibility Chart	See Compatibility Chart	See Compatibility Chart	See Compatibility Chart	See Compatibility Chart	See Compatibility Chart
Availability	Canada, USA	Canada, USA	Canada, USA	Canada, USA	Canada	Canada, USA
Approved for Organic Use?	Yes, in Canada	Yes, in Canada	Yes, in Canada	Yes, in Canada	Yes, in Canada	Yes, in Canada
Package Size	1x12 L 4x3 L	1x300 units 4x50 units	1x10 L	1x22.6 L	1x10 L	1x10 L
Product Shelf Life	1 year	2 years	2 years	1 year	2 years	2 years

Last Updated: November 10, 2023

To learn more about our products & technologies, visit:



www.xitebio.ca 1-855-XITEBIO (948-3246)





#### **Jared Joyal**

Regional Sales Manager -WC (431) 866-4501 jared.joyal@xitebio.ca

#### John Byskal

Sales Agronomist -MB/SK (204) 298-7174 john.byskal@xitebio.ca

#### **Shawn Rowson**

Ag Sales Representative -MB (204) 230-0853 shawn.rowson@xitebio.ca

#### **Kylee Harris**

Sales Agronomist -SK (306) 981-2847 kylee.harris@xitebio.ca

#### **Dustin Burke**

Sales Agronomist -AB (403) 501-0657 dustin.burke@xitebio.ca

#### **Richard Clement**

Ag Communications Specialist (204) 782-7346 richard.clement@xitebio.ca

#### **Eva Smuck**

Sales Agronomist -ON/QC (226) 559-7404 eva.smuck@xitebio.ca

#### **Doug Tigges**

Sales Manager -USA (651) 470-9220 doug.tigges@xitebio.com

#### **Robert Lyberg**

Sales Agronomist -USA (218) 443-4888 robert.lyberg@xitebio.com

#### **Head Office & IRD Centre**

3194 St. Mary's Road, Winnipeg, Manitoba, Canada R2N 4A8 (204) 257-0775

Toll-free: 1-855-XITEBIO

info@xitebio.ca

xitebio.ca



## XiteBio®

### Thriving Through Innovation

Visit our Website



Follow us on social media!







