



# XiteBio® PulseRhizo®

Healthier Plants. Better Yields.

## Seed Treatment Compatibility

Compatible Seed Treatment Product Choices	Pea, Lentil & Faba Bean On-Seed Planting Window
Allegiance® FL	7 days
Apron® Advance	7 days
Apron Maxx® RFC	7 days
Apron Maxx® RTA	7 days
Crop Aid Seed	48 hours
Cruiser® 5FS	7 days
Cruiser Maxx® Vibrance® Pulses	7 days
EverGol® Energy	7 days
Inspire - Seed Starter	48 hours
Insure® Pulse	24 hours*
INTEGO® Solo	48 hours
Lumivia CPL™	48 hours
PreCede® Pulse	7 days
Rancona®	24 hours*
Rancona® Trio	24 hours*
Regent®	7 days
Stress Shield® 600	24 hours*
Sombrero™ 600 FS	24 hours*
Trilex® AL	7 days
Trilex® EverGol®	7 days
Vibrance® Maxx	7 days
Vibrance® XL	7 days
VitaFlo® 280	7 days
Zeltera® Pulse	48 hours

\*treat and seed same day

**Application Rate: 75 ml/27 kg (2.5 fl oz/bu if 1 bu = 60lbs, 2.1fl oz/bu is 1 bu = 50lbs)**

**NOTE:** PulseRhizo® may be applied with approved seed treatment products either simultaneously, sequentially, or in a tank mix (slurry). If a tank mix is used, the mixture must be applied to the seed immediately and only the amount that can be applied to the seed in an hour should be premixed.

**In-furrow tank-mix compatibility on next page...**

Last Updated: 15 February 2022

**Please read product label carefully & follow application directions**

For more info and any updates:  
visit [www.xitebio.ca](http://www.xitebio.ca) or call toll-free 1-855-XITEBIO (1-855-948-3246)



# XiteBio® PulseRhizo®

Healthier Plants. Better Yields.

## In-Furrow Tank-Mix Compatibility

Compatible In-Furrow Fertilizer Product Choices	Pea, Lentil & Faba Bean Tank-Mix Planting Window
Arise	8 hours
Alpine K24®	8 hours
Kalibrate	8 hours
Lignijoule™	8 hours
NutriPak™	8 hours**
XiteBio Yield+	8 hours

\*\* fertilizer must be diluted with water to ratio of 10:1 or greater

### Terms Used in Seed Treatment:

#### On-Seed Planting Window:

The on-seed planting window is the length of time before the seed is planted that the minimum required number of rhizobia in the inoculant will survive on the seed beginning from the time of inoculation. This on-seed planting window is determined through a series of analytical tests.

#### Dry Sequential:

With dry sequential application, the seed treatment is first applied and allowed to dry. Once the seed treatment has dried, the inoculant is applied. The duration of time needed for the seed treatment to dry after application may vary based upon many factors, including the relative humidity and seed treatment formulation.

#### Tank-Mix:

With a tank-mix application, the inoculant and seed treatment are mixed in a single tank and applied to the seed together as a solution/suspension via the same applicator. When the inoculant is applied as part of a tank-mix, the on-seed planting window is based on the requirement that the mixture is applied to the seed immediately and that only the amount that can be applied to the seed in an hour is premixed.

#### Simultaneous or Wet Sequential

With wet sequential (also called simultaneous) application, the inoculant and seed treatment are applied to the seed from separate tanks at the same time. Unlike tank-mix application, the seed treatment and inoculant must be applied by separate nozzles, first mixing upon reaching the seed.

XiteBio® and PulseRhizo® are registered trademarks of XiteBio Technologies Inc. Allegiance®, EverGol®, Stress Shield® and Trilex® are registered trademarks of Bayer CropScience Inc.; Apron®, Apron Maxx®, Cruiser®, Cruiser Maxx®, RTA® and Vibrance® are registered trademarks of a Syngenta Group company; Rancona® and Vitaflo® are registered trademarks of Arysta LifeScience North America, LLC; Insure® and Regent® are registered trademarks of BASF Corporation; Alpine K24® is a trademark of Nachurs Alpine Solutions, LLC; LigniJoule® is a registered trademark of Lignition Corporation Canada; PreCede® is a registered trademark and Arise™ is a trademark of ATP Nutrition; INTEGO® is a registered trademark of Valent USA LLC; NutriPak™ is a trademark of AgXplore; Sombro™ is a trademark of Adama Agricultural Solutions Canada Ltd.; Kalibrate™ is a trademark of AgroLiquid; Lumivia™ is a trademark of Corteva™ Agriscience. Zeltera® is a registered trademark of Sumitomo Chemical Corp. All other trademarks are property of their respective owners.

**XiteBio®**

Thriving Through Innovation

**Please read product label carefully & follow application directions**

For more info and any updates:  
visit [www.xitebio.ca](http://www.xitebio.ca) or call toll-free 1-855-XITEBIO (1-855-948-3246)

